

L Number	Hits	Search Text	DB	Time stamp
-	75716	personal with (information data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 09:58
-	69546	personal with (information data) and computer program with encrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:25
-	66572	personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:06
-	66569	personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:26
-	1563	biometric adj (data information)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:10
-	1194	biometric with (data information) and personal with (data information)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:20
-	1105	(personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:28
-	6	install\$4 with program and server and biometric with code with encrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:13
-	5	(personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric adj code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:15
-	0	(install\$4 with program and server and biometric with code with encrypt\$4) and ((personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric adj code)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:15
-	305	(personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:15

-	119	(personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt\$4 with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:16
-	1	(personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt\$4 with code and install\$4 with server with program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:16
-	7	(personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt\$4 with code and install\$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:19
-	27	(personal with (information data) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt\$4 with code and install\$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:24
-	1105	biometric with (data information) and personal with (data information) and computer program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4 and biometric with code and encrypt\$4 with code and install\$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:22
-	0	biometric with (data information) and personal with (data information) and computer with program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4 and biometric with code and encrypt\$4 with code and install\$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:23
-	0	(personal with (information data) and computer with program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt\$4 with code and install\$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:24

-	0	(personal with (information data) and computer and program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt\$4 with code and install\$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:25
-	1694	personal with (information data) and program with encrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:25
-	0	(personal with (information data) and program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt\$4 with code and install\$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:25
-	1	personal with (information data) and program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:26
-	0	(personal with (information data) and program with encrypt\$4 and decrypt\$4 and compar\$4 with personal with decrypt\$4 and (match\$4 agree\$4 same\$4 equal\$4) with personal with decrypt\$4) and (biometric with (data information) and personal with (data information))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:29
-	1194	personal with (information data) and biometric with (data information)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:30
-	326	personal with (information data) and biometric with (data information) and biometric with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:30
-	138	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:31
-	135	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:31
-	121	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:31
-	74	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:32
-	74	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:33

-	48	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:35
-	45	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and install\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:35
-	43	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and install\$4 and signature	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:36
-	14	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and public with key and install\$4 and signature	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:36
-	13	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and public with key and install\$4 and signature and biometric with read\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:50
-	6	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and public with key and install\$4 and signature and biometric with (reader dongle)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:12
-	13	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and public with key and install\$4 and signature and biometric with read\$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:11
-	6	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and public with key and install\$4 and signature and biometric with reader	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:03
-	13	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and public with key and install\$4 and signature and (biometric finger\$print) with read\$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:14

-	6	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and public with key and install\$4 and signature and (biometric finger\$print) with (reader scanner dongle)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:13
-	13	personal with (information data) and biometric with (data information) and biometric with code and encrypt\$4 and decrypt\$4 and compar\$4 and match\$4 and computer with program and (server machine) and private with key and public with key and install\$4 and signature and (biometric finger\$print) with ((read\$4 with device) scanner)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:20
-	8045	instal\$5 with program with (computer server machine)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:21
-	120	instal\$6 with program with (computer server machine) and verif\$4 and licens\$4 with instal\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:22
-	3	instal\$6 with program with (computer server machine) and verif\$4 and licens\$4 with instal\$6 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:21
-	51	instal\$6 with program with (computer server machine) and verif\$4 and licens\$4 and instal\$6 with code and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:27
-	49	instal\$6 with program with (computer server machine) and verif\$4 and licens\$4 and instal\$6 with code and biometric with (data information) and code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:28
-	2	instal\$6 with program with (computer server machine) and verif\$4 and licens\$4 and instal\$6 with code and biometric with (data information) and code with (distribut\$4 provid\$4) with program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:31
-	5	instal\$6 with program with (computer server machine) and verif\$4 and (software program installation) with licens\$4 and instal\$6 with code and biometric with (data information) and code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 12:00
-	92	biometric with (data information).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:29
-	579	biometric with (data information).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:29
-	675	biometric with (data information).clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:30
-	32	(biometric with (data information).ti.) and (biometric with (data information).ab.) and (biometric with (data information).clm.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:30
-	11	biometric with (data information).ti.) and (biometric with (data information).ab.) and (biometric with (data information).clm.) and encrypt\$4 and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:30

-	6	(biometric with (data information).ti.) and (biometric with (data information).ab.) and (biometric with (data information).clm.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:31
-	78	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:31
-	31	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:31
-	22	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code and program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 12:44
-	2	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code and program and compar\$4 with encrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:34
-	2	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code and program and compar\$4 with encrypt\$4 and match\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:34
-	2	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code and program and compar\$4 with encrypt\$4 and match\$4 and (read\$4 scan\$4 sens\$4) with biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:35
-	2	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code and program and compar\$4 with encrypt\$4 and match\$4 and (read\$4 scan\$4 sens\$4) with biometric and stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:36
-	1	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code and program and compar\$4 with encrypt\$4 and match\$4 and (read\$4 scan\$4 sens\$4) with biometric and stor\$4 with encrypt\$4 and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:37
-	2	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code and program and compar\$4 with encrypt\$4 and match\$4 and (read\$4 scan\$4 sens\$4) with biometric and stor\$4 with encrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:44
-	0	(biometric with (data information).ab.) and encrypt\$4 and decrypt\$4 and public adj key and private adj key and biometric with code and program and instal\$6 with program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 12:45
-	2	instal\$6 with program with (computer server machine) and verif\$4 and (software program installation) with licens\$4 and instal\$6 with code and biometric with (data information) and code with send	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 13:26
-	54718	time with (interval period) and time with obtain\$4 and compar\$4 with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 09:59

-	1419	time with (interval period) and time with obtain\$4 and compar\$4 with time and within with specified with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:00
-	23	time with (interval period) and time with obtain\$4 and compar\$4 with time and run with within with specified with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:00
-	0	time with (interval period) and time with obtain\$4 and compar\$4 with time and run with within with specified with time and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:01
-	70	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:02
-	33	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:02
-	19	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:02
-	3	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and time with specif\$4 and within with specified with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:07
-	0	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and time with specif\$4 and within with specified with time with run\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:06
-	2	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and time with specif\$4 and within with specified with time with operat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:06
-	3	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and time with specif\$4 and (during within) with specified with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:08
-	3	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and time with specif\$4 and (during within) with specified with (period time)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:08
-	4	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with specif\$4 and (during within) with specified with (period time)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:10
-	7	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and time with specif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:21
-	2	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with specif\$4 and (during within) with specified with (period time) with (run operat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:10

-	0	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and time with specif\$4 with run\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:11
-	3	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and time with specif\$4 with operat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:12
-	3	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time and time with (period interval) and (period interval time) with specif\$4 with operat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:12
-	1	time with biometric with (data information) with (obtain\$4 receive\$4 gather\$4) and compar\$4 with time with (current present) and time with (period interval) and time with specif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:21
-	0	instal\$6 with program with (computer server machine) and verif\$4 and (software program installation) with licens\$4 and instal\$6 with code and biometric with (data information) and code and verif\$4 with install\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 12:00
-	1	instal\$6 with program with (computer server machine) and verif\$4 and (software program installation) with licens\$4 and instal\$6 with code and biometric with (data information) and code and verif\$4 with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 12:05
-	0	instal\$6 with program with (computer server machine) and verif\$4 and (software program installation) with licens\$4 and instal\$6 with code and biometric with (data information) and code and verif\$4 with time and install\$4 with license	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 12:05